

# MIRASCRIP – User guide

MiraScripts are a set of scripts for Magneti Marelli navigation system model RT4 and RT5, to let you perform directly in your car some useful action just like well done by third party PC utilities. The primary step is to burn these scripts on a CD **to be kept in the car, without the need to do the three step operations** (read in a car, modify on PC, write back in the car), as generally required by the PC utilities. Just unpack all the files you found in the distribution archive, and burn a normal ISO9660 finalized CD. If you wish, you can copy them into the root of a USB device. After copying, five files must exist:

- **BUILTINS.OUT**
- **BUILTINS.OUT.inf**
- **CD\_VER.NAV**
- **INSTALL.CMD**
- **NAV\_UPGRADE.CMD**
- **/CMD** (containing all the scripts as listed below)

Just insert the CD in your RTx (or plug the USB device in), and it will be recognized like an update navigation disk. The user interface is very limited due to the RTx operating system limits, so expect a question dialog to appear with simple YES or NO options. **MiraScripts starts with the CMD launcher**: it asks you what script to run. **The scripts are listed sequentially** and when you select the one you wish, the launcher stops and runs the script. Some scripts reboot the system at the end. Please, remember to disconnect any USB device and/or eject CD before confirming the reboot. System reboot with a media inserted is not a serious problem, but **the boot time is longer** than normal because the system checks if the connected media is an upgrade disk and because the **MiraScripts start immediately**. Scripts included are:

- **HD\_COPY.CMD**
- **JBX.CMD**
- **JBX\_EXTRACT.CMD**
- **RT\_COPY.CMD**
- **RTxSET\_V2.CMD**
- **RTXud.CMD**

## **HD\_COPY.CMD**

This script does a complete or partial backup of RTx partitions. It asks you what to copy by following a sequence of questions:

- **"Copy Main Disk?"** is the /C partition
- **"Copy Flash Disk?"** is the /F flash disk
- **"Copy User Disk?"** is the /I partition
- **"Copy Navy Disk?"** is the /H partition
- **"Copy Jukebox Disk?"** is the /J partition

All the answers (both YES and NO) you selected, will be processed at the end of the question list as above mentioned. The total number of files and the total size in Mb, will be displayed, then, asking you to continue. Copying is done with the technique to stop after every 250 MB data copied (but it can be changed editing the /CMD/HD\_COPY.cmd at line *#define MAX\_SIZE (250\*\_1MBYTE)*), then asking for user input to continue. This is very useful to permit segmented copy, given that the complete copy process may take several hours (the USB protocol of the RTx device is 1.1). Some additional files are saved on USB device, so if you decide to stop and restart the HD\_COPY script, copy operations will be resumed from where it was stopped.

## JBX.CMD

This script updates the Jukebox from any USB device. If you have MiraScripts on CD you can insert a USB device with mp3 song and **copy them from USB**, or just **play them directly from USB**. Just be sure to put mp3 file in the **main root** of the USB device (the script isn't able to read through directories).

The first question JBX asks you is: "**Only Rebuild Catalogue.dat?**".

- 1) If you answer **YES** the script doesn't start the mp3 copy function, but it **rebuilds** the catalogue information, scanning the actual content of jukebox disk. This function is useful after a direct play from USB (*read forward*). Answering **NO** will take you to the following step.
- 2) Next question is: "**Direct play from USB?**". Choose **YES** if you want to play mp3 directly from USB. The JBX script now follows two different directions:

### 1- Direct play:

Next question is: "**New Catalogue?**". Answering **YES** will result in a new catalogue filled **only by mp3 that are present on USB**. If you answer **NO**, the mp3 songs from USB device will be **added at the end** of the current catalogue and if your current catalogue doesn't have enough space, you will not be able to play all song on USB.

### 2- Jukebox copy:

Answering **NO** to direct playing will start the copy process, and you must select what to copy. "**Copy all Albums?**" is the first question. If answering **YES** you won't receive other questions. If you select "**NO**" you may desire a partial copy so you have to confirm the copy process for each album. Select "**Album /album\_name?**", then what copy "**All songs of /album\_name?**" or confirm each song. As soon as the songs selection is terminated, a report with total number of songs to copy and their total size, will appear to let you confirm the copy process start.

Copy is done with segmented technique (like HD\_COPY) to permit the copy of large quantity of songs that may take several hours. Whatever is the functionality chosen (direct play or jukebox copy), at the end a reboot of the system is needed to use the updated catalogue.

**JBX adjusts the folder name of copied mp3**, to one level folder deep, as RTx system requires, by simply changing the folder separator symbol '/' with a minus '-'. If you have a /author/year/album/song.mp3 it then becomes /author-year-album/song.mp3.

Songs stored in root folder of USB device will be copied on a fixed name album on jukebox, called /JBXCMD. Catalogue.dat format for sw:710 and sw:7.11 is supported by JBX.

## JBX\_EXTRACT.CMD

This script is essentially the opposite of the previous JBX. It transfers mp3 song from jukebox HD to USB device. You will be prompted to choice what to copy: "**Copy all Albums?**" is the first question. If you answer **YES** you won't receive any other questions. If you answer **NO** you are going to select a partial copy, so for each album you have to confirm the operation. "**Album/album\_name?**", then what to copy: "**All songs of /album\_name?**" or check each song. As soon as terminating the songs selection, a report will appear showing the total number of songs to copy and their total size. It must be acknowledged to start the copy operation. Copy is done with segmented technique (like HD\_COPY) to permit the copy of a large quantity of songs that may take several hours. Catalogue.dat format for sw:710 and sw:7.11 is supported by JBX\_EXTRACT.

## RT\_COPY.CMD

This script is a configurable copier. You can use it to copy data to or from your RTx unit, but a copy method must be configured before using the script in your car. Simply **create some folders READn and/or WRITEn and/or DELETEn** in a USB device. 'n' is a number ranging from 1 to 9 and must be sequential (eg. READ1,READ2,READ3), thus providing a total of 27 different jobs (9 read + 9 write + 9 delete). Such tasks can be programmed simultaneously on the USB device and you may decide to run every single task.

**READn, WRITEn, DELETEn** folders (any or all of them – it depends on the tasks you’re planning to run) shall contain **the exact folders structure of the files (and the files themselves)** you want to read/write/delete from/on RTx unit. Here you have some more information:

- if you want to **Write** files on the RTx unit, the files to be copied must be in the WRITEn folder structure of the USB device as the example shows
- If you want to **Read/Delete** files from RTx unit you should create as many **dummy files** as necessary in the /COPYn /DELETEn folder structure of the USB device as the example shows

### Examples of folders structure

```
/WRITE1/ USER_DATA/USER_PROFILE/User_com.dat (this is the real one)
/READ1/I/USER_DATA/USER_PROFILE/User_com.dat (dummy file)
/DELETE1/ USER_DATA/USER_PROFILE/Phone/SMS_book.dat (dummy file)
```

User\_com.dat and SMS\_book.dat in READ and DELETE sections of the above examples are the **dummy files** and follow the RTx data structure. The dummy file is essentially a placemark and its length or content are not essential: even a 0 byte file will be fine. It simply reminds the script which file to search and when found it overwrites/deletes it on/from RTx unit.

Another essential file is **DESCRIPTION.TXT** . **It must** exist in the root of every task folder you created. If absent, the folder content will not be processed by the script. It contains pure ASCII text (any notepad will do its job greatly) and its purpose is to describe the actual task being carried out by showing it on the user display (eg: "Copy P.O.I. to RT4").

RT\_COPY usage is very simple: just follow the on-screen instruction to perform the tasks previously created. Simple questions will lead you through the whole process and the “Reboot?” question represents the end of all.

RT\_COPY is able to execute heavy tasks, copying 250 MB of data a time (this limit can be modified by editing the /CMD/RT\_COPY.cmd script at line *#define MAX\_SIZE (250\*\_1MBYTE)*), and lets the user decide whether to continue or suspend the operations. Just remember that the USB protocol used by RTx is 1.1, so the copying process is very slow. The script writes the following additional files on USB device in order to remember the interruption copy point:

- /LASTJOB.TXT: stores the last READn or WRITEn used folder
- /READn|WRITEn|DELETEn/RTCPY\_FILELIST.TXT : stores a complete list of files found in the folder
- /READn|WRITEn|DELETEn/RTCPY\_LASTCOPIED.TXT : stores line numbers of last copied file in the list.  
/READn|WRITEn|DELETEn/RTCPY\_NOTCOPIED.TXT : stores files not copied due to read or write error.

The copying process will be resumed as soon as the user runs the script again.

**ATTENTION:** Existing files in the destination folder will be overwritten without any user input.

### RTxSET\_V2.CMD

This script **lets you modify** the “User\_com.dat” file **directly on RTx device**. When starting it asks you to do a backup copy of current User\_com.dat file, or, if a backup is already present, to restore it. RTxSET recognizes and modifies configuration file for sw:7.02 sw:7.10 sw:7.11 sw:8.00 sw:8.10. The editable values are divided in sections, and have the same name used for PC program RTXud.exe. Here is the list:

**"View/modify GENERAL section?"**

"Video speed" select between 5 and 225. It's the Km/h upper speed limit for video-in disabling.

**"View/modify AUDIO section?"**

"Ampli present" 0 or 1 . If the value is set to 1 (enabled) and the amplifier doesn't exist, the output power will be reduced.

**"View/modify MENU section ?"**

"Audio aux in" 0 or 1 enables the AUX in voice in the system menu.

**"View/modify TRIP section ?"**

"D295" 0 or 1 unknown

"D296" 0 or 1 unknown

"OBD page" 0 or 1 enables the cooler, temperature and tire pressure page in the TRIP display

"TRIP page" 0 or 1 enables On Board Computer pages

"Diagnostic menu" 0 or 1 enables the Diagnostic page in the System menu

"Service list menu" 0 or 1 enables Service list page in the Diagnostic menu

**"View/modify VAN section ?"**

"CD Changer" 0 or 1 enables CD changer support

"D322" 0 or 1 unknown

"B323" 0 or 1 unknown

"B324" 0 or 1 unknown

"B325" 0 or 1 unknown

"B326" 0 or 1 unknown

"B327" 0 or 1 unknown

"B328" 0 or 1 unknown

"D329" 0 or 1 unknown

"D330" 0 or 1 unknown

"D331" 0 or 1 unknown

"D332" 0 or 1 unknown

"Reset Tire U.P." 0 or 1 enables reset tire under pressure in Diagnostic menu

"D334" 0 or 1 unknown

"D335" 0 or 1 unknown

"D336" 0 or 1 unknown

"Rear park assist" 0 or 1 enables rear park assist, graph and sound

"Front park assist" 0 or 1 enables front park assist, graph and sound

"D339" 0 or 1 unknown

"B340" 0 or 1 unknown

"D341" 0 or 1 unknown

"Disable voice cmd" 0 or 1 disables voice command from button

**"View/modify VIDEO section ?"**

"D353" 0 or 1 unknown

"D354" 0 or 1 unknown

"D355" 0 or 1 unknown

"Video 1 in" 0 or 1 enables Video in system menu

"D357" 0 or 1 unknown

"D358" 0 or 1 unknown

**"View/modify AIRC section ?"**

"Turn off L/R reg" 0 or 1 enables turn off L/R regulation in A/C menu

"A/C menu" 0 or 1 enables A/C menu in system menu, and A/C status windows (not connected, yet)

"D387" 0 or 1 unknown

"D388" 0 or 1 unknown

**"View/modify VEICLE CONF section ?"**

"D401" 0 or 1 unknown

"D402" 0 or 1 unknown

"D403" 0 or 1 unknown

"D404" 0 or 1 unknown

"D405" 0 or 1 unknown

"D406" 0 or 1 unknown  
"D407" 0 or 1 unknown  
"Automatic brake" 0 or 1 enables Automatic brake in vehicle configuration menu  
"Conf.Light menu" 0 or 1 enables Light configuration in vehicle configuration menu  
"Ambient light" 0 or 1 enables Ambient light in light configuration menu  
"Rear wiper" 0 or 1 enables Rear wiper in wiper menu  
"D412" 0 or 1 unknown  
"Vehicle access" 0 or 1 enables Vehicle access in vehicle configuration menu  
"Daylight lamp" 0 or 1 enables Daylight light in light configuration menu  
"D415" 0 or 1 unknown  
"D416" 0 or 1 unknown  
"D417" 0 or 1 unknown  
"D418" 0 or 1 unknown  
"Driving assistance" 0 or 1 enables Driving assistance in vehicle configuration menu  
"D420" 0 or 1 unknown  
"D421" 0 or 1 unknown  
"D422" 0 or 1 unknown  
"D423" 0 or 1 unknown  
"D424" 0 or 1 unknown

#### **"View/modify again ?"**

Select YES if you wish to view again the previous configuration value. After modifying all options the script will end asking you **"RTxSET Terminated! Reboot?"**. YES is necessary for changes to be effective.

**NOTE:** Items feature and number listed above may depend on software version running on your RTx unit. Not all of them are really known at the moment and if you discover the meaning of any of them, please contact me and I will add your useful information to the script. Be aware that this script is very fast to use but many more hidden features of the User\_com.dat file can be managed more deeply through any specific editor. The one I suggest is RTXud.exe.

## **RTXud.CMD**

This script was written by RTXud.exe PC program with Init USB function. It is a simple way to retrieve the configuration file "User\_com.dat" to be used subsequently on PC with programs like RTXud.exe.

If a **User\_com.dat** file exists in the USB root, you are prompted to **"WRITE user\_com.dat ?"**. Just answer **NO** to retrieve the actual file from RTx system with the request **"READ user\_com.dat ?"**.

**Note:** if no **User\_com.dat** file is in the root of your USB device, the only question is **"READ user\_com.dat ?"**. After you accept the write question, RTXud asks you to reboot with the question **"Files copied. Reboot ?"**. Reboot is always needed to permit the system to load changed configuration file.

By **Mira** -  
Revised by **Peppe68** –

[mira308sw@libero.it](mailto:mira308sw@libero.it)  
[pep.lau@tiscali.it](mailto:pep.lau@tiscali.it)